

Printing date 05/24/2019

Reviewed on 05/24/2019

1 Identification	
------------------	--

- · Product identifier
- Trade name: GRIFFON BLUE GEL BOT 250G*8 L222
- Application of the substance / the mixture Lubricant
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

Information department: Bison QESH
 Emergency telephone number: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET)

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Lubricant

(Contd. on page 2)



Printing date 05/24/2019

Reviewed on 05/24/2019

(Contd. of page 1)

10-25%

Trade name: GRIFFON BLUE GEL BOT 250G*8 L222

· Dangerous components:

25322-68-3 Polyethylene glycol

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Send for recovery or disposal in suitable receptacles.
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

PAC-1:			
25322-68-3	Polyethylene glycol		30 mg/m ³
1310-73-2	sodium hydroxide		0.5 mg/m³
110-82-7	cyclohexane		300 ppm
		(Co	ntd. on page 3)
			US-US -



Printing date 05/24/2019

Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL BOT 250G*8 L222

	(Contd. of page 2)
Polyethylene glycol	1,300 mg/m³
sodium hydroxide	5 mg/m ³
cyclohexane	1700* ppm
Polyethylene glycol	7,700 mg/m³
sodium hydroxide	50 mg/m³
cyclohexane	10000** ppm
	sodium hydroxide cyclohexane Polyethylene glycol sodium hydroxide

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class: 12

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

25322-68-3 Polyethylene glycol

WEEL Long-term value: 10 mg/m³ (H); MW>200

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR

(Contd. on page 4)



Printing date 05/24/2019

Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL BOT 250G*8 L222

(Contd. of page 3)

- **Penetration time of glove material** For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).
- Eye protection: Goggles recommended during refilling.

Information on basic physical and of General Information	chemical properties
Appearance:	F 1 · 1
Form:	Fluid
Color: Odor:	According to product specification Characteristic
Odor: Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	7
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.03 g/cm³ (8.595 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	
Viscosity:	·
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	80.7 %
VOC content:	0.00 %



Printing date 05/24/2019

Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL BOT 250G*8 L222

(Contd. of page 4)

Solids content:	1.9 %
 Other information 	All relevant physical data were determined for the
	mixture. All non-determined data are not measurable or
	not relevant for the characterization of the mixture.

10 Stability and reactivity

• **Reactivity** No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

9003-01-4 2-propenoic acid, homopolymer

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.

(Contd. on page 6)

US-US -

3



Printing date 05/24/2019

Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL BOT 250G*8 L222

(Contd. of page 5)

- **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste. Disposal must be made according to official regulations.

- · Uncleaned packagings:
- Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

· UN-Number	
DOT, ADN	not regulated
ADR/ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADR/ADN, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
DOT, ADR/ADN, ADN, IMDG, IATA	
· Class	not regulated
 Packing group DOT, ADR/ADN, IMDG, IATA 	not regulated
· Environmental hazards: · Marine pollutant:	No
 Special precautions for user 	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specification
· IMDG · Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified in packinggrou III.



Printing date 05/24/2019

Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL BOT 250G*8 L222

(Contd. of page 6)

See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2

· UN "Model Regulation":

not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances): None of the ingredients is listed.
 Section 313 (Specific toxic chemical listings): 110-82-7 cyclohexane
 TSCA (Toxic Substances Control Act): All ingredients are listed.
 Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)
- 110-82-7 cyclohexane
- TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

US-US

L



Printing date 05/24/2019

Reviewed on 05/24/2019

Trade name: GRIFFON BLUE GEL BOT 250G*8 L222

(Contd. of page 7)

	This information is based on our present knowledge. However, this shall not constitute a guara for any specific product features and shall not establish a legally valid contractual relationship.
	ior any specific product features and shall not establish a legally valid contractual relationship.
٠I	Department issuing SDS: Bison QESH
• (Contact: Reach coordinator
• 1	Date of preparation / last revision 05/24/2019 / 19
	Abbreviations and acronyms:
	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concernin
	International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	IATA: International Air Transport Association
	ACGIH: American Conference of Governmental Industrial Hygienists
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
(CAS: Chemical Abstracts Service (division of the American Chemical Society)
1	NFPA: National Fire Protection Association (USA)
	HMIS: Hazardous Materials Identification System (USA)
	VOC: Volatile Organic Compounds (USA, EU)
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	NIOSH: National Institute for Occupational Safety
	OSHA: Occupational Safety & Health
	TLV: Threshold Limit Value
	PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
	* Data compared to the previous version altered.