

SAFETY DATA SHEET according to Regulation (EU) 2015/830

LO Woodworm Killer

Revision 1 Revision date 2020-01-30

1/5

Page

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product name	LO Woodworm Killer			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC8] Biocidal products (e.g. Disinfectants, pest control); [PROC10] Roller application or brushing; [ERC10a] Wide dispersive outdoor use of long-life articles and materials with low release; [AC11] Wood articles;			
1.3. Details of the supplier of the	e safety data sheet			
Company Address	Larsen Building Products Ltd 4 West Bank Road			
Address	Belfast Harbour Industrial Estate Belfast BT3 9JL			

Fax Email	+44 (0)28 9077 6945 t.moore@larsenbuildingproducts.com
Telephone	+44 (0)28 9077 4000
Web	www.larsenbuildingproducts.com
	United Kingdom

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Eye Irrit. 2: H319; Aquatic Chronic 1: H410;
1272/2008	

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Precautionary Statement:	P264 - Wash thoroughly after handling.
Prevention	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P391 - Collect spillage.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Alcohols, C0-11, Ethoxylated		68439-45-2				Acute Tox. 4: H302; Eye
						Dam. 1: H318;
Permethrin (ISO)	613-058-00-2	52645-53-1	258-067-9			Acute Tox. 4: H332; Acute
						Tox. 4: H302; Skin Sens. 1:
						H317; Aquatic Acute 1: H400;
						Aquatic Chronic 1: H410;
2-methyl-2H-isothiazol-3-one		2682-20-4				Acute Tox. 4: H302; Skin
						Corr. 1A: H314; Skin Sens. 1:
						H317; Acute Tox. 3: H331;
						STOT SE 3: H335; Aquatic
						Acute 1: H400;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Carbon oxides.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled



LO Woodworm Killer

7.2. Conditions for safe storage, including any incompatibilities

containers.

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls



Ensure adequate ventilation of the working area.	
Wear chemical protective clothing.	
Approved safety goggles.	
Chemical resistant gloves (PVC).	
Wear:. Suitable respiratory equipment.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid	
Colour	ear/Colourless to straw yellow	
Odour	Characteristic	
рH	7	
Initial boiling point		
Solubility	Soluble in water	

9.2. Other information

Specific gravity 1.005 g/cm³

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions

SECTION 11: Toxicological information

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



LO Woodworm Killer

Revision 1 Revision date 2020-01-30

Hazard pictograms



14.1. UN number

UN3082

	010002			
14.2. UN proper shipping name				
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.			
14.3. Transport hazard class(es)				
ADR/RID	9			
Subsidiary risk]-			
IMDG	9			
Subsidiary risk	-			
ΙΑΤΑ	9			
Subsidiary risk	-			
14.4. Packing group				
Packing group	III			
14.5. Environmental hazards	14.5. Environmental hazards			
Environmental hazards	Yes			
Marine pollutant	Yes			
ADR/RID				
Hazard ID	90			
Tunnel Category	(E)			
IMDG				
EmS Code	F-A S-F			
ΙΑΤΑ				
Packing Instruction (Cargo)	964			
Maximum quantity	450 L			
Packing Instruction	964			
(Passenger)				
Maximum quantity	450 L			
Further information	·			
	The product is not classified as dangerous for carriage.			
SECTION 15: Regulatory information				

SECTION 15: Regulatory information

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Acute Tox. 3: H331 - Toxic if inhaled.
	STOT SE 3: H335 - May cause respiratory irritation.



LO Woodworm Killer

 Revision
 1

 Revision date
 2020-01-30

Other information	
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

