

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

## **Concentrated Algicide**

Revision 12

Revision date 2020-07-29

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Concentrated Algicide
Product name	HSE No. 6606 - Concentrated Algicide.
	PCS No. 94225 - Concentrated Algicide.

#### 1.3. Details of the supplier of the safety data sheet

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL United Kingdom

Web www.larsenbuildingproducts.com

+44 (0)28 9077 4000 **Telephone** +44 (0)28 9077 6945 Fax

**Email** t.moore@larsenbuildingproducts.com

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Eye Irrit. 2
1272/2008	

2: H319; STOT SE 3: H336;

#### 2.2. Label elements

## Hazard pictograms



## Signal Word

#### Warning

**Hazard Statement** 

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

**Precautionary Statement:** 

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Prevention P264 - Wash thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statement:** 

Response

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P337+P313 - If eye irritation persists: Get medical advice/attention.

**Precautionary Statement:** P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

Storage

P405 - Store locked up.

Revision 12 Revision date 2020-07-29

#### 2.2. Label elements

Precautionary Statement: P501 - Dispose Disposal

P501 - Dispose of contents/container to

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7			Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Benzalkonium Chloride		68424-85-1				
2-Phenylphenol (ISO)	604-020-00-6	90-43-7	201-993-5			Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Aquatic Acute 1: H400;

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Carbon oxides.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

#### 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled

Revision 12 Revision date 2020-07-29

## 7.2. Conditions for safe storage, including any incompatibilities

containers.


## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

#### 8.2. Exposure controls



## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless to straw yellow
Odour	Slight
pH	7
Relative density	0.99
Solubility	Soluble in water

#### 9.2. Other information

Specific gravity 0.99 g/cm³				
Water solubility				
<u> </u>				

## SECTION 10: Stability and reactivity

#### 10.2. Chemical stability

Stable under normal conditions.

## **SECTION 11: Toxicological information**

#### 11.1.4. Toxicological Information

No data available

Soluble in water.

Revision 12 Revision date 2020-07-29

SECTION	12: Eco	logical i	nformation

12.1. Toxicity

No data available

## **SECTION 13: Disposal considerations**

General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

#### Hazard pictograms



#### 14.1. UN number

UN1903

#### 14.2. UN proper shipping name

DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

#### 14.3. Transport hazard class(es)

ADR/RID	
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	_

## 14.4. Packing group

Packing	aroun	
rackiilu	uluub	

#### 14.5. Environmental hazards

Environmental hazards	
Marine pollutant	No

#### ADR/RID

Hazard ID	80
Tunnel Category	(E)

#### **IMDG**

EmC Code	F-A S-B
EmS Code	F-A 3-D

#### **IATA**

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

## SECTION 15: Regulatory information

Revision 12 **Revision date** 2020-07-29

CECTIO	1 40.	O4b	information
SEC. 110 11	vin.	Unner	intormation

Oth	Or	In		rm	atı	Λr
Out	<b>G</b> I		u		αи	u

Other information	
Revision	This document differs from the previous version in the following areas:.
	8 - Respiratory protection.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Skin Irrit. 2: H315 - Causes skin irritation.
	STOT SE 3: H335 - May cause respiratory irritation.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and

combination with any other materials or in any other process.

belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in